

EXPLORE THE ART OF **GARDEN** ENHANCEMENT



CATALOGUE
SICHTSCHUTZSTREIFEN
PRIVACY STRIPS

Since 1977



COMPANY PROFILE

SNGPLAST is a family-owned business founded in 1977, boasting a rich and enduring history. Our experience and deep-rooted history have solidified our expertise and reliability within the industry.

With a commitment to providing innovative and stylish solutions for outdoor spaces, SNGPLAST manufactures a range of products designed to enhance the aesthetics and functionality of gardens. Our products, including the Fencpro, Çitpen, and Ant Garden brands, are known for their practicality, durability, affordability, and ease of installation.

Located in [Location], our modern facilities are equipped with state-of-the-art machinery, including extrusion, injection molding, CNC machining, and laser cutting technologies. With 1350 square meters of enclosed space and 5000 square meters of open space, our facilities provide ample opportunities for the development of innovative products and solutions.

At SNGPLAST, we take pride in offering products that not only add elegance to outdoor environments but also provide convenience and longevity. Customer satisfaction is paramount, and we continuously strive to exceed expectations by delivering high-quality, user-friendly products.

INNOVATION


"Supports Environmental Sustainability"

At SNGPLAST, innovation lies at the heart of everything we do. As a forward-thinking and environmentally conscious company, we are dedicated to combating environmental pollution by producing durable and long-lasting products. Our commitment to quality ensures that each product we manufacture meets the highest standards, contributing to a cleaner and more sustainable future.

We understand the importance of economic viability, which is why we strive to offer cost-effective solutions that provide value to our customers. By prioritizing efficiency and resource optimization in our production processes, we are able to deliver innovative products that not only meet but exceed the expectations of our customers.

Furthermore, our dedication to innovation extends beyond product development. We continuously invest in research and development to stay ahead of industry trends and pioneer new technologies. Through collaboration and creativity, we aim to provide our customers with access to beautifully designed products that enhance their outdoor living spaces.

At SNGPLAST, innovation is not just a buzzword – it's a guiding principle that drives us to push boundaries, challenge norms, and create positive change in the world. We are committed to leading the way towards a greener, more sustainable future, and we invite you to join us on this journey of innovation and progress.



CITPEN FENCE STRIPS

"Offers You the Perfect Solution for Organizing Your Garden"





CITPEN, made of high quality polypropylene, are resistant to sunlight and frost, they require no maintenance and retain their vibrant colors for a long time. With quick and easy assembly, you can quickly refresh and beautify your garden.

Product Features

- ▶ **Polypropylene Material:** Made of durable and eco-friendly polypropylene material.
- ▶ **UV Resistance:** Resistant to sunlight, colors do not fade or wear out.
- ▶ **Frostproof:** Unaffected by frost, maintains durability even in cold weather conditions.
- ▶ **No Maintenance Required:** Requires no special maintenance, easy to clean, and long-lasting.
- ▶ **Durable Colors:** Colors remain vibrant for a long time without fading.
- ▶ **Quick and Easy Assembly:** Saves time and effort with its quick and easy assembly feature.
- ▶ Reinforce your garden fences with Çitpen and give them an aesthetic appearance.

ADVANTAGES OF USING CITPEN

- ✓ UV resistant, do not discolour in the sun
- ✓ Do not require maintenance and impregnants
- ✓ Remain soft and flexible when bent
- ✓ Easy and quick assembly without the use of specialized tools
- ✓ Frost-resistant, unbreakable in low temperatures
- ✓ Variety of applications (panels, balcony railings, mesh panels)
- ✓ Do not deform in high temperatures
- ✓ Protection against wind and adverse weather conditions
- ✓ Provide an aesthetic appearance on both sides of a fence panel
- ✓ Modern design and various widths



TECHNICAL DATA

MATERIAL	POLYPROPYLENE (PP)
DARKENING	≈100%
APPLICATION	FENCING PANELS, MESH FENCES, BALCONY RAILINGS
WEIGHT	~552 gramm/m ² , ~630 gramm/m ² , 789 gramm/m ²
ASSEMBLY	Assembly without the use of specialized tools
ASSEMBLY	Horizontal mounting



MODERN DESIGNS



CLASSIC LINE



SMART MAT



ORANGE SKIN



BASIC

AVAILABLE WIDTHS



190 mm

1 box	26 m
1 m ²	5 lm
1 box	5 m ²



190 mm

1 box	35 m
1 m ²	5 lm
1 box	7 m ²



95 mm

1 box	52 m
1 m ²	10 lm
1 box	5 m ²



47,5 mm


1 box	50 m
1 m ²	20 lm
1 box	2,5 m ²

MOUNTING CLIPS FOR FENCE STRIPS



UNIVERSAL CLIP

End profile with strong handle suitable for each wire thickness in a panel.



STANDART CLIP SNG 229

End profile for panels with wires with a cross-section 4 - 6 mm.



RENETA CLIP SNG 186

End profile for panels with wires with a cross-section 3,5 - 5,5mm.

MOUNTING

How in a quick and easy way turn a garden, terrace or balcony into a private space?



Waive the fence tape onto the panel.



Fasten the tape in the end clip.



Attach the end clip with the fence strip to the panel.




RESISTANT TO WEATHER CONDITIONS



AFFORDABLE FOR EVERYONE



RESISTANT TO RADIATION, COLOR DURABILITY



CALCULATION

FENCE STRIPS 190 mm	PANEL SIZE [M X M]				
	2,5 X 1,2	2,5 X 1,4	2,5 X 1,6	2,5 X 1,8	2,5 X 2,0
1	1	1	1	1	1
2	2	2	2	2	2
3	2	3	3	3	3
4	3	3	4	4	4
5	3	4	4	5	5
6	4	5	5	6	6
7	5	5	6	7	7
8	5	6	7	8	8
9	6	7	8	9	9
10	6	7	8	9	10
15	9	11	12	14	15
20	12	14	16	18	20
30	18	21	24	24	30
40	24	28	32	36	40
50	30	35	40	45	50

box 190 mm x 26 lm - [5 m²]

FENCE STRIPS 95 mm	PANEL SIZE [M X M]				
	2,5 X 1,2	2,5 X 1,4	2,5 X 1,6	2,5 X 1,8	2,5 X 2,0
1	1	1	1	1	1
2	2	2	2	2	2
3	2	3	3	3	3
4	3	3	4	4	4
5	3	4	4	5	5
6	4	5	5	6	6
7	5	5	6	7	7
8	5	6	7	8	8
9	6	7	8	9	9
10	6	7	8	9	10
15	9	11	12	14	15
20	12	14	16	18	20
30	18	21	24	27	30
40	24	28	32	36	40
50	30	35	40	45	50

box 95 mm x 52 lm - [5 m²]

FENCE STRIPS 47,5 mm	PANEL SIZE [M X M]				
	2,5 X 1,2	2,5 X 1,4	2,5 X 1,6	2,5 X 1,8	2,5 X 2,0
1	2	2	2	2	2
2	3	3	4	4	4
3	4	5	5	6	6
4	5	6	7	8	8
5	6	7	8	9	10
6	8	9	10	11	12
7	9	10	12	13	14
8	10	12	13	15	16
9	11	13	15	17	18
10	12	14	16	18	20
15	18	21	24	27	30
20	24	18	32	36	40
30	36	42	48	54	60
40	48	56	64	72	80
50	60	70	80	90	100

box 47,5 mm x 50 lm - [2,5m²]

CLASSIC LINE



MADE OF BEST QUALITY
POLYPROPYLENE




RESISTANT TO
WEATHER CONDITIONS



RESISTANT TO COLOR
DURABILITY, RADIATION



MOUNTING CLIPS



SNG 229

AVAILABLE WIDTHS:



190 mm



95 mm



47,5 mm



CLASSIC LINE FENCE STRIP

PROFILE NAME	WIDTH	THICKNESS	WEIGHT	PACKAGE		INDEX
				ROLL		
701	190 mm	1,65 mm	750-770 gramm/m ²	ROLL	26 lm	190L.1.65A0026M
				STRIPS	10 x 2,55 m	190L.1.65A2.550M
					10 x 2,53 m	190L.1.65A2.530M
					10 x 2, 52 m	190L.1.65A2.520M
706	95 mm	1,65 mm	750-770 gramm/m ²	ROLL	2 x 26 lm	95L.1.00.65A0026M
685	47,5 mm	1,3 mm	750-770 gramm/m ²	ROLL	50 lm	4.75L.1.00.65A0050M

CLASSIC LINE AVAILABLE RANGE OF COLORS



RAL 9003



RAL 6005



RAL 8011



RAL 7040



RAL 7030



RAL 7016



RAL 900

! Other colors of the tapes are made to order. Colors presented in the catalog may slightly differ from the actual colors.

SMART MATT



AFFORDABLE FOR EVERYONE



MADE OF BEST QUALITY POLYPROPYLENE



RESISTANT TO WEATHER CONDITIONS




RESISTANT TO COLOR DURABILITY, RADIATION

10 YEARS WARRANTY



MOUNTING CLIPS



SNG 229

AVAILABLE WIDTHS:



190 mm

SMART MATT FENCE STRIP

PROFILE NAME	WIDTH	THICKNESS	WEIGHT	PACKAGE		INDEX
K11	190 mm	1,1 mm	770-790 gramm/m ²	ROLL	26 lm	190L.1.1A0026M

SMART MATT AVAILABLE RANGE OF COLORS



RAL 6005



RAL 7040



RAL 7016



RAL 900

! Other colors of the tapes are made to order. Colors presented in the catalog may slightly differ from the actual colors.

ORANGE SKIN



MADE OF BEST QUALITY
POLYPROPYLENE



RESISTANT TO
WEATHER CONDITIONS




RESISTANT TO COLOR
DURABILITY, RADIATION

10 YEARS WARRANTY



MOUNTING CLIPS:



SNG 229



SNG 186



190 mm

AVAILABLE WIDTHS:

ORANGE SKIN FENCE STRIP						
PROFILE NAME	WIDTH	THICKNESS	WEIGHT	PACKAGE		INDEX
K08	190 mm	0,85 mm	580-600 gramm/m ²	ROLL	26 lm	190L.0.85.P0026M
K12	190 mm	1,20 mm	580-600 gramm/m ²	ROLL	26 lm	190L.1.20.P0026M
				STRIPS	10 x 2,55 m	190L.1.20.P2.550M

ORANGE SKIN AVAILABLE RANGE OF COLORS



RAL 6005



RAL 7040



RAL 7016



RAL 900

! Other colors of the tapes are made to order. Colors presented in the catalog may slightly differ from the actual colors.

BASIC



AFFORDABLE FOR EVERYONE



MADE OF BEST QUALITY POLYPROPYLENE



RESISTANT TO WEATHER CONDITIONS



RESISTANT TO COLOR DURABILITY, RADIATION



MOUNTING CLIPS



SNG 186

AVAILABLE WIDTHS:



190 mm

BASIC FENCE STRIP

PROFILE NAME	WIDTH	THICKNESS	WEIGHT	PACKAGE		INDEX
K06	190 mm	0,65 mm	550-570 gramm/m ²	ROLL	26 lm	190L.0.85.P0026M
				PE SLEEVE	50 lm	190L.0.85.P0050M
					35 lm	190L.0.85.P0035M
				SET	50 lm	190L.0.85.P0050M

BASIC AVAILABLE RANGE OF COLORS




RAL 9003



RAL 6005



RAL 8011



RAL 7040



RAL 7016



RAL 900

! Other colors of the tapes are made to order. Colors presented in the catalog may slightly differ from the actual colors.

SIMPLE LINE SYSTEM



AFFORDABLE FOR EVERYONE



MADE OF BEST QUALITY POLYPROPYLENE



RESISTANT TO WEATHER CONDITIONS



RESISTANT TO COLOR DURABILITY, RADIATION



TECHNICAL DATA

Material	Polypropylene (PP)
Darkening	≈100%
Application	2D and 3D panels
Weight	550-570 gramm/m ² , 580-600 gramm/m ²
Assembly	assembly without the use of specialized tools
Assembly	vertical assembly

PACKAGE

60 m of fence tape
+100 end clips

SIMPLE LINE - BASIC SYSTEM

PROFILE NAME	WIDTH	THICKNESS	WEIGHT	PACKAGE		INDEX
SL.C06	44 mm	0,65 mm	550-570 gramm/m ²	ROLL	60 lm	SL.C44.0.65.0060M
	48 mm			ROLL	60 lm	SL.C48.0.65.0060M
	50 mm			ROLL	60 lm	SL.C50.0.65.0060M
	55 mm			ROLL	60 lm	SL.C55.0.65.0060M

SIMPLE LINE - ORANGE SKIN SYSTEM

PROFILE NAME	WIDTH	THICKNESS	WEIGHT	PACKAGE		INDEX
SL.K08	44 mm	0,85 mm	580-600 gramm/m ²	ROLL	60 lm	SL.K44.0.85.0060M
	48 mm			ROLL	60 lm	SL.K48.0.85.0060M
	50 mm			ROLL	60 lm	SL.K50.0.85.0060M
	55 mm			ROLL	60 lm	SL.K55.0.85.0060M

! Other colors of the tapes are made to order. Colors presented in the catalog may slightly differ from the actual colors.

► MODERN DESIGN




► COLORS




► MOUNTING CLIPS




► AVAILABLE WIDTHS



► FAST AND EASY ASSEMBLY



► QUICK CALCULATION



! Other colors of the tapes are made to order. Colors presented in the catalog may slightly differ from the actual colors.